FOOD AND DRUG

3

#28

(10000000 LABORATORIES, INC.

FUIL)

MAURICE AVENUE AT S8TH STREET, MASPETH, NEW YORK 11378

FINAL

July 3, 1972

Teratologic Evaluation of FDA 71-10

(Potassium Nitrite)

in

EZ

Mice, Rats, Hamsters and Rabbits

*

.

.

Food and Drug Lesearch Laboratories

INCO[®]RPORAT



Maurice Avenue at 58th Street Maspeth, New York 11378

> Telephone: TWining 4-0800 Cable: Foodlabs, New York

FINAL REPORT

Submitted to:

DHEW/Public Health Service

Food and Drug Administration CA-272

5600 Fishers Lane-Room 5C-13 Rockville, Maryland 20852

Date July 3, 1972

Laboratory No. 0728 m Contract No. FDA 71-260

Sample:

Light yellow crystalline material

Marking:

FDA 71-10 (Potassium nitrite)

Examination Requested: Teratologic evaluation of FDA 71-10 in mice.

Procedure:

See Appendix I

Results:

See Tables 1 through 4 and Appendix II

Subject to reexamination in the light of later findings, the following is concluded:

"The administration of up to 60 mg/kg (body weight) of the test material to pregnant mice for 10 consecutive days had no clearly discernible effect on nidation or on maternal or fetal survival. number of abnormalities seen in either soft or skeletal tissues of the test groups did not differ from the number occurring spontaneously in the sham-treated controls."

Attention is called to the fact that this is the sixth of a Comment: series of reports which will be issued in accordance with the terms of the contract cited above. Eventually, a total of at least 36 compounds will have been tested in 18 pairs; each pair being run concurrently against one sham-treated control and one positive control group. Because of the inherent variability of biological data of the type dealt with here, the accumulation and pooling of sequential sets of control values will greatly enhance the statistical value of the findings and the ultimate reliability of the test results.

FOOD AND DRUG RESEARCH LABORATORIES, INC.

organe

Kenneth Morgareidge,

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of these Laboratories nor of any members of its staff, may be used in connection with the advertising or sale of any product or process without written authorization.

Groups: 51 & 52; 57 through 60

Material: FDA 71-10

Table 1

Fate Summary (Mice)

Date May 31, 1972
Laboratory No. 0728 m

On a	,	Material	Dose	Tot	·a1	At To	erm
Group		Maceriai	Dose mg/kg	Mated	Pregnant	Surviving (Total)	Number Pregnant
						•	• .
51	5	Sham ,	0	23	22	23	22
				20	24	30	21
52	1	Aspirin*	150	32	24		
57	נ	FDA 71-10	0.3	22	20	22	20
							21
58	. 1	FDA 71-10	1.5	. 25	21	25	21
•		71 10	7.0	24	23	24	23
59]	FDA 71-10	7.0	24			
60	<i>,</i>	FDA 71-10	32.0	28	21	28	21
						· .	•

^{*} Positive Control

May 31, 1972 Date Group: 51 & 52; 57 through 60 Table 2 Laboratory No. 0728 m Material: FDA 71-10 Reproduction Data Mice 59 60 52 58 51 57 Group: 32.0 Aspirin** 7.0 0.3 1.5 Dose (mg/kg): Sham Pregnancies 21 23 21 24 20 22 Total No. 0 0 0 3 0 Died or aborted (before Day 17) 23 21 20 21 22 21 To term (on Day 17) Corpora lutea Total No. Average/dam mated Live litters 23 21 21 21 20 22 Total No.* Implant sites 257 276 266 268 254 248 Total No. (at term) 12.2 12.1 12.4 12.7 12.0 12.2 Average/dam* Resorptions 14 12 14 13 18 Total No.* 8 9 8 8 8 Dams with 1 or more sites resorbed 0 0 0 Dams with all sites resorbed 0 39.1 23.8 38.1 36.4 38.1 40.0 Per cent partial resorptions Per cent complete resorptions Live fetuses 252 256 248 232 233 249 Total No. (at term) 12.0 11.1 11.8 11.7 11.0 11.3 Average/dam* Dead fetuses 3 6 Total No.* 3 3 Dams with 1 or more dead Dams with all dead 4.55 . 15.0 Per cent partial dead per cent all dead 0.92 0.93 0.98 1.01 0.83 0.96 Average fetus weight, g

^{*} Includes only those dams examined at term.

^{**} Posi ve control: 150 mg/kg

Groups 51 & 52; 57 through 60

Table 3

Laboratory No. 0728 m

Material FDA 71-10

Date <u>May 31, 1972</u>

Summary of Skeletal Findings (Mice)

			٠.	,				•
	Findings	Group No. Dose (mg/kg)	51 Sham	52 Aspirin**	57 0.3	58 1.5	59 7.0	60
	•	es Examined (at term)	171/22	156/21	161/20	175/21	180/23	162/21
	Scramble Scramble		45/14	52/12	37/9	45/16	63/17	39/12
	Bipartii Fused	te	. 8/7	4/3		3/3		2/1
	Extra Missing Other		1/1 11/4	51/8	1/1 3/2	10/6	19/9	3/1 9/4
	Ribs Incomple Fused/sp Wavy Less tha More tha	an 12 an 13	15/9	3/1 1/1 36/10	1/1 11/9	19/9		16/9
Y	Vertebrae Incomple Scramble Fused	ete oss.	2/2	1/1				
	Extra ct Scoliosi Tail def Other		2/2	1/1			•	2/1
	Missing Craniost		. 4/2					
	Other: 0	ccipitals; mi	ssing	25/5	•			
	Extremities Incomple Missing Extra		3/2	3/3				
	Miscellaned Hyoid; Hyoid;	missing	12/10 23/8	50/3 27/11	11/7 7/5	42/14 30/15	45/16 17/12	40/14 25/13

^{*} Numerator=Number of fetuses affected; Denominator=Number of litters affected ** Positive control 150 mg/kg

Groups 51 & 52; 57 through 60

Date May 31, 1972

Material FDA 71-10

Laboratory No. 0728m

Table 3-a

Summary of Soft Tissue Abnormalities (Mice)

-	Group	Material	Dose level mg/kg	Dam	Number of Pups	Description
i_						
	57	FDA 71-10	0.3	м 8005	1	Meningocraniocoele

Groups 51 & 52; 57 through 60

Species Mice

Table 4
Average Body Weights*

Date___May 31, 1972

Laboratory No.__ 0728 m

	,				Day		
Group	Material	Dose Level	0	6	11	15	17
		mg/kg			g		
51	Sham	0	30.2	31.0	36.0	44.6	50.6 (22)
52	Aspirin***	150	29.0	32.5	34.0	43.1	47.6 (21)
57	FDA 71-10	0.3	30.4	33.8	37.3	47.3	53.9 (20)
58	FDA 71-10	1.5	30.2	33.3	35.8	45.6	53.7 (21)
59	FDA 71-10	7.0	29.1	31.8	34.3	44.9	50.6 (23)
60	FDA 71-10	32.0	31.5	33.5	36.5	46.9	53.0 (21)

^{*} Of pregnant dams

^{**} Number of surviving dams in parentheses (c.f. Table 1)

^{***} Positive control:



Appendix I

Teratology Study in Mice

Virgin adult female albino CD-1 outbred mice were individually housed in disposable plastic cages in temperature and humidity-controlled quarters with free access to food and fresh tap water. They were mated with young adult males, and observation of the vaginal sperm plug was considered Day 0 of gestation. Beginning on Day 6 and continuing daily through Day 15 of gestation, the females were dosed with the indicated dosages by oral intubation; the controls were sham treated.

Body weights were recorded on Days 0, 6, 11, 15, and 17 of gestation.

All animals were observed daily for appearance and behavior with particular attention to food consumption and weight, in order to rule out any abnormalities which may have occurred as a result of anorexic effects in the pregnant female animal.

On Day 17 all dams were subjected to Caesarean section under surgical anesthesia, and the numbers of implantation sites, resorption sites, and live and dead fetuses were recorded. The body weights of the live pups were also recorded. The urogenital tract of each dam was examined in detail for anatomical normality.

All fetuses were examined grossly for the presence of external congenital abnormalities. One-third of the fetuses of each litter underwent detailed visceral examinations employing 10X magnification. The remaining two-thirds were cleared in potassium hydroxide (KOH), stained with alizarin red S dye and examined for skeletal defects.

Group 51

Material Sham

Appendix II

1

Date May 31, 1972

erial Sham Reproduction Data in Mice (Individual)

L

Laboratory No. 0728

Dose _____0

Dam No.	Fate *	Implant	Fet	uses	Resorption	Average Fetus	Remarks
		Sites	Alive	Dead	Sites	Weight (g)	
S 8151 S 8152 S 8153 S 8154 S 8155 S 8156 S 8157 S 8158 S 8159 S 8160 S 8161 S 8162 S 8163 S 8164 S 8165 S 8165 S 8166 S 8167 S 8168 S 8169 S 8170 S 8171	P	11 12 12 0 11 13 11 12 14 15 12 14 13 11 12 13 11 12 13	10 12 12 11 13 11 12 12 12 14 12 10 12 13 11 14 10 12 3	1	1 2 2 1 1	0.96 1.35 0.87 1.13 1.01 1.11 1.02 1.05 0.87 1.00 0.86 0.93 0.85 1.02 0.95 0.97 1.00 1.01 1.01	
S 8172 S 8173	P	10 12	9		1	0.73 0.68	•
					•	*	

^{*} P= Pregnant; NP= Not Pregnant

Appendix II

Reproduction Data in Mice (Individual)

Date <u>May 31, 1972</u>

Laboratory No. 0728

Dose 150 mg/kg

52

Aspirin

Group <u></u>

Material

Dam No. Fate * Implant Sites	Fetuse Alive	s Dead	Resorption Sites	Average Fetus Weight (g)	Remarks
A 8151 P 14 A 8152 P 13	9		14	0.88 0.66	Died Day 14.
A 8153 P 14 A 8154 P 13	13		13		Died Day 15
A 8155 P 14 A 8156 P 14	10 14	, .	4	0.77 0.71	
A 8157 . P . 11 A 8158 P 10	11 10	-		0.83 0.65	•
A 8159	•	•			Not assigned.
A 8160 NP 0 A 8161 P 11 A 8162 P 13	10 13	•	1	0.85 0.93	
.A 8163 P 15	13	2		1.00	Not assigned.
A 8164 10 A 8165 P 10	10			1.12	
A 8166 NP 0 A 8167 P 12 A 8168 P 13	13	12		0.95	Died Day 16
A 8169 NP 0 A 8170 NP 0 A 8171 P 15	12	2	1	0.62	
A 8172 NP 0 A 8173 NP 0 A 8174 P 13	12		1	0.63	
A 8175 NP 0 A 8176 NP 0 A 8177 P 14	12		2 3	0.48 0.77	
A 8178 P 14 A 8179 P 12 A 8180 P 12	10 12 12 13	1 .	3	0.90 0.86 0.99	
A 8180 I P 13 A 8180 II P 9 A 8180 III P 12 A 8180 IV P 2	9 12 2	• •	•	0.61 1.15 1.15	

57 Appendix II

Reproduction Data in Mice (Individual)

Date ____May 31, 1972

Laboratory No. 0728 m

Dose 0.3 mg/kg

FDA 71-10

Group

Material

Dose	0.3 m	q/Kq					
Dam No.	Fate *	Implant	Feti	ıses	Resorption	Average Fetus	Remarks
Dam 1.00		Sites	Alive	Dead	Sites	Weight (g)	
M 8001 M 8002 M 8003 M 8004 M 8005 M 8006 M 8007 M 8008 M 8009 M 8010 M 8011 M 8012 M 8013 M 8014 M 8015 M 8016 M 8017 M 8018 M 8019 M 8019 M 8020	P P P P P P P P P P P P P P P P P P P	11 14 12 1 11 16 12 15 11 14 16 13 12 13 13 10 14 14	11 12 12 1 10 16 11 14 11 13 14 13 12 12 12 12 12	1 1	2 1 1 2 1 1 1 3	1.03 0.97 0.95 1.51 1.09 1.00 0.90 1.09 1.13 1.06 0.77 0.80 1.02 1.06 1.02 1.16 0.89 1.02	
м 8021 м 8022	P P	13 13	13 13			0.88	

^{*} P= Pregnant; NP= Not Pregnant

Appendix II

Date May 31, 1972

Material FDA 71-10

Group

58

Reproduction Data in Mice (Individual)

Laboratory No: 0728 m

Dose 1.5 mg/kg

Dam No.	Fate *	Implant	Fet	uses	Resorption	Average Fetus	Remarks
		Sites	Alive	Dead	Sites	Weight (g)	
		•					•
M 8031	P	17	17			0.88	
M 8032	P	11	10		. 1	1.08	
M 8033	P	13	13			0.99	
M 8034	P	15	14		1 .	0.77	
M 8035	P	11	11			0.90	
M 8036	P	15	15			0.93	
M 8037	P	11	9	•	2	1.08	
M 8038	P	15	14		1	1.05	
M 8039	P	14	14			1.04	
M 8040	P	10	10	•		0.84	
M 8041	NP	0					
M 8042	NP	0	•				
M 8043	P	13	12		1	0.86	
M.8044	NP	· 0			· ·		
M 8045	P	12	12		• •	0.86	·
M 8046	P	11	11			0.98	•
M 8047	NP	0			•		•
M 8048	· P	12	11	•	1	0.89	
м 8049	· · · P	12	12	:		0.81	
M 8050	· P	18	17	•	1	0.78	
M 8051	P	15	9		6	0.65	
M 8052	P	12	12	•		0.97	
M 8053	P	8	8		•	0.85	
M 8054	P	11	11 .			1.01	
м 8055	P	10	10		,	1.06	•
							•

^{*} P= Pregnant; NP= Not Pregnant

Appendix II

Reproduction Data in Mice (Individual)

Date May 31, 1972

Laboratory No. 0728 m

Material FDA 71-10

Dose 7.0 mg/kg

Group ____

59

D 000							
Dam No.	Fate *	Implant	Fet	uses	Resorption	Average Fetus	Remarks
		Sites	Alive	Dead	Sites	Weight (g)	
							•
		•	•			•	
0053	.	3.4	14		·	0.89	
M 8061	P	14				0.98	
M 8062	P	14	14		1	0.88	
M 8063	P	12	11		<u>.</u> .	1.15	
M 8064	P	12	11	•	<u> </u>		
M 8065	P	11	10		7	1.11	•
м 8066	P	13	13		_	1.08	•
M 8067	P	14	11		3	0.91	
M 8068	P	15	14		1	0.90	
M 8069	P	8	8	•	è	1.04	
M 8070	P	13	13			0.95	
M 8071	P	: 11	11			1.00	
M 8072	P	12	12			0.87	•
M 8073	P	13	13			0.98	
M 8074	P ·	- 9	9			0.99	
M 8075	P	13	. 13			0.90	
M 8075	P ·	13	13			0.97	
		13	9	2	2	0.83	
M 8077	P		. 8	2	-	0.79	
м 8078	P .	10	9	4	. 2	0.78	
M 8079	P	11			7	0.93	
м 8080	P	14	13		1.	0.71	
M 8081	· P	9	9	<u>.</u> .	•		
м 8082	P	12	9	1	2	0.90	
м 8083	NP	0					
M 8084	P	10	9	1		0.80	

^{*} P= Pregnant; NP= Not Pregnant

Group 60

Material FDA 71-10

Appendix II
Reproduction Data in Mice (Individual)

Date May 31, 1972

Laboratory No. 0728 m

Dose _____32.0 mg/kg

Dam No. Fate Implant Sites Alive Dead Sites Weight (g)	 - N- N-	Fate *	Implant	Fet	uses	Resorption	Average Fetus	Remarks	. •
M 8091 P 13 13 13	Dam No.	rate	Sites			Sites	Weight (g)		
M 8091 P 13 13 13									
M 8091 P 13 13 13				·	•			•	
M 8092 NP 0 M 8093 P 12 12 M 8094 P 13 13 M 8095 NP 0 M 8096 P 16 16 M 8097 P 12 9 M 8098 P 10 10 M 8099 P 13 11 M 8100 P 10 10 M 8101 P 14 13 M 8102 NP 0 M 8103 P 12 12 M 8104 P 13 13 M 8105 P 13 13 M 8106 P 13 13 M 8106 P 12 12 M 8107 P 12 12 M 8108 NP 0 M 8111 NP 0 M 8111 NP 0 M 8111 P 14 14 M 8115 P 14 14 M 8115 P 13 13 M 8116 P 13 13 M 8117 P 11 11	M 8091	P	13	13					•
M 8093									
M 8094 P 13 13 13	M 8092		12	12		•			•
M 8095 NP 0 M 8096 P 16 16 16 M 8097 P 12 9 3 1.20 M 8098 P 10 10 2 0.86 M 8099 P 13 11 2 0.78 M 8100 P 10 10 M 8101 P 14 13 1 0.95 M 8102 NP 0 M 8103 P 12 12 0.96 M 8104 P 13 13 12 0.96 M 8105 P 13 12 12 0.96 M 8106 P 13 13 12 0.93 M 8106 P 12 12 12 M 8107 P 12 12 M 8108 NP 0 M 8111 P 14 14 10 10 M 8111 P 10 10 M 8111 P 10 10 M 8111 P 13 13 13 M 8106 P 13 13 14 M 8115 P 13 11 11 M 8116 P 13 13 11 M 8116 P 13 13 12 M 8116 P 13 13 13 M 8117 P 11 11 11		P				•			. •
M 8096 P 16 16 9 3 1.20 M 8097 P. 12 9 3 1.06 M 8098 P 10 10 2 0.86 M 8099 P 13 11 2 0.78 M 8100 P 10 10 10 0.79 M 8101 P 14 13 1 0.95 M 8102 NP 0 0 0.97 M 8103 P 12 12 12 0.96 M 8104 P 13 13 12 0.96 M 8105 P 13 12 12 0.96 M 8106 P 13 13 13 0.96 M 8107 P 12 12 12 M 8108 NP 0 0 0.96 M 8109 NP 0 0 0.96 M 8110 NP 0 0 0.96 M 8111 NP 0 0 0.61 M 8111 NP 0 0 0.61 M 8112 P 14 14 14 0.00 M 8113 P 10 10 0 0.80 M 8114 P 10 10 10 0.80 M 8115 P 13 13 13 13 0.88 M 8116 P 13 13 13 13 13 0.88 M 8116 P 13 13 13 13 13 0.88 M 8116 P 13 13 13 13 13 13 0.88 M 8116 P 13 13 13 13 1.20 M 8117 P 11 11 11								• •	
M 8097 P 12 9 10 10 10				16					,
M 8098 P 10 10 10		P	12	9		3			
M 8099 P 13 11 10 2 0.78 M 8100 P 10 10 10				10		_			•
M 8100 P 10 10 10			13	11	•	2	0.86		
M 8101 P 14 13				10		•	0.78		•
M 8102 NP 0 M 8103 P 12 12 M 8104 P 13 13 M 8105 P 13 12 M 8106 P 13 13 M 8107 P 12 12 M 8108 NP 0 M 8100 NP 0 M 8110 NP 0 M 8111 NP 0 M 8112 P 14 14 M 8112 P 10 10 M 8113 P 10 10 M 8114 P 10 10 M 8115 P 13 13 M 8116 P 13 13 M 8116 P 13 13 M 8117 P 11 11			14			.1	· · · · · · · · · · · · · · · · · · ·		•
M 8103 P 12 12 0.96 M 8104 P 13 13 13 M 8105 P 13 12 12 0.985 M 8106 P 13 13 13 0.98 M 8107 P 12 12 12 M 8108 NP 0 M 8109 NP 0 M 8110 NP 0 M 8111 NP 0 M 8112 P 14 14 14 1.00 M 8113 P 10 10 M 8114 P 10 10 M 8115 P 13 11 M 8115 P 13 11 M 8116 P 13 13 13 M 8116 P 13 13 13 M 8117 P 11 11								•	•
M 8104 P 13 13 13				12		•	0.97	•	
M 8105 P 13 12 0.85 M 8106 P 13 13 0.96 M 8107 P 12 12 0.96 M 8108 NP 0 M 8109 NP 0 M 8111 NP 0 M 8112 P 14 14 M 8113 P 10 10 M 8114 P 10 10 M 8115 P 13 11 M 8116 P 13 13 M 8116 P 13 13 M 8117 P 11 11			13				0.96		
M 8106 P 13 13 0.96 M 8107 P 12 12 M 8108 NP 0 M 8109 NP 0 M 8111 NP 0 M 8112 P 14 14 M 8113 P 10 10 M 8114 P 10 10 M 8115 P 13 11 M 8116 P 13 13 M 8116 P 13 13 M 8117 P 11 11					•	1	0.85		. •
M 8107 P 12 12 M 8108 NP 0 M 8109 NP 0 M 8110 NP 0 M 8111 NP 0 M 8112 P 14 14 M 8113 P 10 10 M 8113 P 10 10 M 8114 P 10 10 M 8115 P 13 11 M 8116 P 13 13 M 8116 P 11 11 M 8117 P 11 11 1 10			13			•		•	,
M 8108 NP 0			12				0.96		
M 8109 NP 0 M 8110 NP 0 M 8111 NP 0 M 8112 P 14 14 M 8113 P 10 10 M 8114 P 10 10 M 8115 P 13 11 M 8116 P 13 13 M 8117 P 11 11				•					
M 8110 NP 0 M 8111 NP 0 M 8112 P 14 14 1.00 M 8113 P 10 10 0.80 M 8114 P 10 10 10 M 8115 P 13 11 0.88 M 8116 P 13 13 1.20 M 8117 P 11 11 1.05								•	
M 8111 NP 0 M 8112 P 14 14 M 8113 P 10 10 M 8114 P 10 10 M 8115 P 13 11 M 8116 P 13 13 M 8117 P 11 11 1.00 0.80 1.34 0.88 1.20 M 8117 P 11 11						•			
M 8112 P 14 14 1.00 M 8113 P 10 10 M 8114 P 10 10 M 8115 P 13 11 M 8116 P 13 13 M 8117 P 11 11 1.00 0.80 1.34 0.88 1.20 1.05			·			•			
M 8113 P 10 10 0.80 M 8114 P 10 10 1.34 M 8115 P 13 11 0.88 M 8116 P 11 11 11 1.00 M 8117 P 11 11 11 1.05				14		•			
M 8114 P 10 10 10 1.34 M.8115 P 13 11 0.88 M.8116 P 13 13 11 1.20 M.8117 P 11 11 1.05		Ð	. 10						. •
M. 8115 P. 13 11 2 0.88 M. 8116 P. 13 13 11 1.20 M. 8117 P. 11 11 1.05						•			
M 8116 P 13 13 1.20 M 8117 P 11 11 1.05		TD T	13 13		•	2		•	
M 8117 P 11 11 11 1.05		P P							•••
M 011/ 1.03						•		,	
M OLLO : • • = = =							1.05		
	M OTTO	•	- -						

^{*} P= Pregnant; NP= Not Pregnant

Tood and Drug Besearch Laboratories

RPORATED



Maurice Avenue at 58th Street Maspeth, New York 11378 Telephone: TWining 4-0800 Cable: Foodlabs, New York

FINAL REPORT

Submitted to: DHEW/Public Health Service

Food and Drug Administration CA-272

5600 Fishers Lane-Room 5C-13 Rockville, Maryland 20852

Date July 3, 1972

Laboratory No. 0729 m Contract No. FDA 71-260

Sample:

Light yellow crystalline material

Marking:

FDA 71-10 (Potassium nitrite)

Teratologic evaluation of FDA 71-10 Examination Requested:

Procedure:

See Appendix I

See Tables 1 through 4 and Appendix II

Subject to reexamination in the light of later findings, the Conclusion: following is concluded:

"The administration of up to 3.0 mg/kg (body weight) of the test material to pregnant rats for 10 consecutive days had no discernible effect on nidation, or on maternal or fetal survival. At this dose level, the number of abnormalities seen in either soft or skeletal tissues of the test groups did not differ from the number occurring spontaneously in the sham-treated controls. However, at a dose level of 10.0 mg/kg (body weight), there were slight indications of delayed skeletal maturation, particularly with respect to ribs and skull. Outright increase in terata were not observed nor did this dose cause any alteration in nidation or fetal survival. It was concluded that this test material is not a frank teratogen for the rat under the experimental conditions employed."

FOOD AND DRUG RESEARCH LABORATORIES, INC.

Kenneth Morgareidge, Ph.D.

This report is submitted for the exclusive use of the person, partnership, of corporation whom it is addressed, and neither the report nor the name of these Laboratories nor of any members of its staff, may be used in connection with the advertising or sale of any product or process without written authorization.



Comment: Attention is called to the fact that this is the sixth of a series of reports which will be issued in accordance with the terms of the contract cited above. Eventually, a total of at least 36 compounds will have been tested in 18 pairs; each pair being run concurrently against one sham-treated control and one positive control group. Because of the inherent variability of biological data of the type dealt with here, the accumulation and pooling of sequential sets of control values will greatly enhance the statistical value of the findings and the ultimate reliability of the test results.

Groups: 51 & 52: 57 through 60

Material: FDA 71-10

Table 1

Fate Summary (Rats)

Date May 31, 1972
Laboratory No. 0729 m

	Matana and	Dose	То	tal	At I	'erm
Group	Material	mg/kg	Mated	Pregnant	Surviving (Total)	Number Pregnant
•						
51	Sham	0	22	21	22	21
52	Aspirin*	250	22	22	22	22
57	FDA 71-10	0.1	23	23	23	23
58	FDA 71-10	0.5	. 23	20	23	20
59	FDA 71-10	3.0	22	22	22	22
60	FDA 71-10	10.0	23	21	22	21

^{*} Positive Control

Group: 51 & 52; 57 through 60

Date

Table 2 Material: FDA 71-10 Laboratory No. 0729 m Reproduction Data Rats 60 57 59 Group: 52 58 51 0.5 10.0 Dose (mg/kg): Aspirin** 3.0 0.1 Sham Pregnancies 21 23 20 22 Total No. 21 22 0 Died or aborted (before Day 20) 0 0 0 0 22 21 To term (on Day 20) 23 20 21 22 Corpora lutea Total No. Average/dam mated Live litters 21 22 22 20 10 Total No.* 21 Implant sites 238 251 231 Total No. (at term) 229 239 252 11.4 11.3 11.6 Average/dam* 11.0 10.9 10.9 Resorptions 8 4 Total No.* 24 144 15 3 12 Dams with 1 or more sites resorbed 6 18 0 12 1 Dams with all sites resorbed 14.3 31.8 52.2 20.0 Per cent partial resorptions 28.6 81.8 Per cent complete resorptions 54.5 4.35 Live fetuses 234 226 243 228 Total No. (at term) 214 92 11.0 11.1 9.91 11.3 4.18 Average/dam* 10.2 Dead fetuses 0 0 Total No.* Dams with 1 or more dead Dams with all dead 9.09 Per cent partial dead per cent all dead 4.06 3.82 2.19 3.90 3.87 3.75 Average fetus weight, g

Includes only those dams examined at term.

Positive control: 250 mg/kg

Groups 51 & 52; 57 through 60

Table 3

Laboratory No. 0729 m

Material FDA 71-10

Date May 31, 1972

Summary of Skeletal Findings (Rats)

	•		(Rats)				•
	Group No.	51	52	53	54	55	56
Findings	Dose (mg/kg)	Sham	** Aspirin	0.1	0.5	3.0	10.0
Live Fetus	ses Examined (at term)	215/21	52/9 ^a	228/22	226/20	242/22	235/21
Sternebrae Incomp	lete oss.	11/8	38/9	13/8	9/7	11/5	16/7
Scramb Bipart	led			1/1			1/1
Fused Extra Missin Other				1/1		3/1	4/2
Ribs Incomp Fused/ Wavy Less t More t	han 12	4/4	5/3 11/5 26/8 3/3 12/7	9/6	11/5	5/3	10/5
Scramb Fused Extra Scolio	lete oss. led ctrs. oss.	2/2	. 40/7 1/1 3/3	1/1	1/1	1/1	1/1
Other Skull Incomp	olete closure	. 8/5	44/9	9/8	8/5	13/5	21/5
Missin Cranic Other	ng Ostosis		•	-			
Extremiti Incomp Missir Extra	lete oss.	1/1	1/1				
	neous missing reduced	4/2 3/2	44/9 1/1	6/5	6/5	10/6	6/6 4/3

^{*} Numerator=Number of fetuses affected; Denominator=Number of litters affected ** Positive control at 250 mg/kg

a.) One litter lost

Groups 51 & 52; 57 through 60

Date May 31, 1972	

Material FDA 71-10

Laboratory No. 0729m

Table 3-a
Summary of Soft Tissue Abnormalities
(Rats)

			· · · · · · · · · · · · · · · · · · ·		
Group	Material	Dose level mg/kg	Dam	Number of Pups	Description
51	Sham	0	S 9153	1	Cervical subcutaneous hematoma
			S 9154	1	Cervical subcutaneous hematoma
•		•	s 9155	2	Cervical subcutaneous hematoma
			S 9156	1	Cervical subcutaneous hematoma
52	Aspirin	250	A 9152	2 1	Enterohepatocoele Acrania, spina bifida
			A 9161	3	Acrania, spina bifida
•			A 9162	2	Acrania, spina bifida
	•	• ′	A 9168	1	Acrania, spina bifida, craniocoele
			A 9170	3 1	Acrania Spina bifida
58	FDA 71-10	3.0	M 9038	1 .	Thoracic subcutaneous hematoma
•		•	M 9045	1	Thoracic subcutaneous hematoma

Groups 51 & 52: 57 through 60

Species Rats

Table 4

Average Body Weights*

Date May 31, 1972
Laboratory No. 0729 m

Group	Material	Dose			Day				-
Group	Material	Level	0	6	11	15	20	**	
		mg/kg			g				-
51	Sham	0	203	219	239	266	330	(21)	
52	Aspirin***	250	205	224	242	261	293	(22)	
57	FDA 71-10	0.1	211	225	251	272	340	(23)	
58	FDA 71-10	0.5	201	218	240	266	333	(20)	
59	FDA 71-10	3.0	211	230	253	279	348	(22)	
60	FDA 71-10	10.0	206	223	245	270	333	. (21)	

^{*} Of pregnant dams

^{**} Number of surviving dams in parentheses (c.f. Table 1)

^{***} Positive control:



Appendix I

Teratology Study in Rats

Virgin adult female albino rats (Wistar derived stock) were individually housed in mesh bottom cages in temperature and humidity-controlled quarters with free access to food and fresh tap water.

They were mated with young adult males, and observation of the vaginal sperm plug was considered Day 0 of gestation. Beginning on Day 6 and continuing daily through Day 15 of gestation, the females were dosed with the indicated dosages by oral intubation; the controls were sham treated.

Body weights were recorded on Days 0,6,11,15, and 20 of gestation. All animals were observed daily for appearance and behavior with particular attention to food consumption and weight, in order to rule out any abnormalities which may have occurred as a result of anorexic effects in the pregnant female animal.

On Day 20 all dams were subjected to Caesarean section under surgical anesthesia, and the numbers of implantation sites, resorption sites, and live and dead fetuses were recorded. The body weights of the live pups were also recorded. The urogenital tract of each dam was examined in detail for anatomical normality.

All fetuses were examined grossly for the presence of external congenital abnormalities. One-third of the fetuses of each litter underwent detailed visceral examinations employing 10X magnification. The remaining two-thirds were cleared in potassium hydroxide (KOH), stained with alizarin red S dye and examined for skeletal defects.

•	Group 57 Material FDA 71-10			Reproduct		ndix II in Rats (Indiv	Date <u>May</u> Laboratory	31, 1972 y No. 0729 m	
	Dose	0.1 m		Fet:	ıses Dead	Resorption Sites	Average Weight	Fetus (g)	Remarks
	M 9001 M 9002 M 9003 M 9004 M 9005 M 9006 M 9007 M 9009 M 9010 M 9011 M 9011 M 9012 M 9013 M 9014 M 9015 M 9016 M 9017 M 9018 M 9019 M 9020 M 9021 M 9022 M 9023	P P P P P P P P P P P P P P P P P P P	11 8 11 8 14 12 13 11 13 9 16 12 11 11 12 10 9 12 16 11	10 7 6 8 13 12 13 11 13 9 8 15 11 11 10 10 8 12 15 11		1 1 5 1 1 1 1 1 1 8	4.0 3.3 5.5 4.4 4.2 4.0 3.7 3.8 3.9 3.8 4.5 3.8 4.5 3.8 4.2 4.0 3.8 3.8		

May 31, 1972 Date Appendix II 58 Group Laboratory No. 0729 m FDA 71-10 Reproduction Data in Rats (Individual) Material 0.5 mg/kgDose Fate* Remarks Average Fetus Resorption **Fetuses** Dam No. Implant Weight (g) Sites Sites Alive Dead 4.0 10 10 M 9031 P 13 4.1 13 P : M 9032 M 9033 NP 10 10 P M 9034 3.8 P 11 11 M 9035 NP . M 9036 3.9 13 13 P M 9037 3.7 13 13 M 9038 \mathbf{P} 12 3.5 13 P M 9039 3.9 P 10 M 9040 3.8 11 P 11 M 9041 P .10 10 M 9042 11 11 M 9043 13 13 M 9044 P 11 11 9045 4.3 12. 12 M 9046 . 9 P 8 M 9047 12 11 M 9048 P 11 11 M 9049 12 12 M 9050 NP M 9051 3.7 P 13 13 M 9052 13 M 9053 13

^{*} P = Pregnant; NP = Not Pregnant

May 31, 1972 Date Appendix II 59 Group Laboratory No. 0729 m Reproduction Data in Rats (Individual) FDA 71-10 Material 3.0 mg/kgDose Remarks Fate* Average Fetus Resorption **Fetuses** Implant Dam No. Weight (g) Sites Sites Dead Alive 5.4 10 11 P M 9061 4.2 8 8 P M 9062 2.5 .11 12 P M 9063 4.2 3 3 M 9064 3.9 11 11 P M 9065 3.9 11 11 M 9066 11 11 P M 9067 14 14 M 9068 4.0 13 13 P м 9069 4.0 11 12 P M 9070 3.8 12 12 P M 9071 4.2 10 12 M 9072 4.0 11 .11 M 9073 9 M 9074 4.5 11 11 M 9075 4.0 12 12 M 9076 4.0 13 13 M 9077. 4.0 9 10 M 9078 4.2 15 15 M 9079 '. 4.0 13 13. M 9080 4.0 1 13 14 M 9081 4.2 12 13

M 9082

Group 60

Material FDA 71-10

Dose 10.0 mg/kg

Appendix II

Reproduction Data in Rats (Individual)

Date May 31, 1972

Laboratory No. 0729 m

Dose	10.0	mg/kg					
Dam No.	Fate*	Implant	Fet	uses	Resorption	Average Fetus	Remarks
Dam 1101		Sites	Alive	Dead	Sites	Weight (g)	
M 9091	P	11	11			4.2	
M 9092 M 9093 M 9094 M 9095 M 9096 M 9097 M 9098 M 9099 M 9100	NP P P P P P	11 14 12 13 10 13 10	11 13 12 13 10 13 10		1	2.5 3.9 4.1 3.6 4.1 3.4 4.1 3.8	
M 9100 M 9101 M 9102 M 9103 M 9104 M 9105 M 9106 M 9107 M 9108 M 9109 M 9110 M 9111 M 9112 M 9113	P P P P P P P P P P P P P P P P P P P	12 13 10 12 9 14 4 12 11 11	13 10 13 10 12 9 14 4 12 11 10		1	3.8	ied Day 20 (respiratory)

^{*} P = Pregnant; NP = Not Pregnant

HAMSTERS

Lood and Drug Lesearch Laboratories



Maurice Avenue at 58th Street Maspeth, New York 11378

> Telephone: TWining 4-0800 Cable: Foodlabs, New York

FINAL REPORT

Submitted to: DHEW/Public Health Service

July 3, 1972 Date

Food and Drug Administration CA-272

5600 Fishers Lane-Room 5C-13 Rockville, Maryland 20852

Laboratory No. 0730 m Contract No. FDA 71-260

Sample:

Light yellow crystalline material

Marking:

FDA 71-10 (Potassium nitrite)

Examination Requested: Teratologic evaluation of FDA 71-10 in hamsters

Procedure:

See Appendix I

See Tables 1 through 4 and Appendix II

Subject to reexamination in the light of later findings, the Conclusion: following is concluded:

"The administration of up to 32 mg/kg (body weight) of the test material to pregnant hamsters for 5 consecutive days had no effect on nidation, or on maternal or fetal survival. The number of abnormalities occurring in soft tissues of fetuses from the test groups did not differ from the number seen in the sham-treated controls. However, the administration of this test material appeared to be associated with delayed skeletal maturation in this species which was not clearly doserelated. Whether or not the substance is teratogenic in the hamster can only be determined on the basis of further studies."

FOOD AND DRUG RESEARCH LABORATORIES, INC.

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of these Laboratories nor of any members of its staff, may be used in connection with the advertising or sale of any product or process without written authorization.



Comment: Attention is called to the fact that this is the sixth of a series of reports which will be issued in accordance with the terms of the contract cited above. Eventually, a total of at least 36 compounds will have been tested in 18 pairs; each pair being run concurrently against one sham-treated control and one positive control group. Because of the inherent variability of biological data of the type dealt with here, the accumulation and pooling of sequential sets of control values will greatly enhance the statistical value of the findings and the ultimate reliability of the test results.

Groups: 51 & 52; 57 through 60.

Material: FDA 71-10

Table 1

Fate Summary (Hamsters)

Date May 31, 1972

Laboratory No. 0730 m

Group	Material	Dose	Tot	al	At Term		
Group	Material	mg/kg	Mated	Pregnant	Surviving (Total)	Number Pregnant	
51	Sham	0	24	21	24	21	
52	Aspirin*	250	23	22	23	22	
57	FDA 71-10	0.3	22	22	. 22	22	
58	FDA 71-10	1.5	24	2.3	23	23	
59	FDA 71-10	7.0	23	21	23	21	
60	FDA 71-10	32	26	21	25	21	

^{*} Positive Control

Group: 51 & 52; 57 through 60

Date May 31, 1972

Table 2 Laboratory No. 0730 m FDA 71-10 Material: Reproduction Data (Hamsters 60. 59 -57 58 52 51. Group: 32 1.5 7.0 0.3 Aspirin Sham Dose (mg/kg): Pregnancies 21 21 23 22 22 21 Total No. 0 0 0 0 0 Died or aborted (before Day 14) 21 21 23 22 2.2 21 To term (on Day 14) Corpora lutea Total No. Average/dam mated Live litters 21 21 22 23 22 21 Total No.* Implant sites 250 255 292 257 255 271 Total No. (at term) 11.9 12.7 12.1 11.7 12.3 12.1 Average/dam* Resorptions 18 11 11 11 Total No.* 9 10 7 9 Dams with 1 or more sites resorbed 0 0 . 0 . 0 Dams with all sites resorbed 33.3 40.9 39.1 38.1 31.8 Per cent partial resorptions Per cent complete resorptions Live fetuses 232 245 278 243 262 243 Total No. (at term) 11.0 11.7 12.1 11.9 11.0 11.6 Average/dam* Dead fetuses 1 1 Total No.* 3 Dams with 1 or more dead 0 Dams with all dead 4.76 13.0 9.09 4.76 Per cent partial dead per cent all dead 1.83 1.86 1.82 1.80 1.87 1.74 Average fetus weight, g

^{*} Includes only those dams examined at term.

^{**} Positive control: 250 mg/kg

Groups 51 & 52; 57 through 60

Table 3

Laboratory No. 0730 m

Material FDA 71-10

Date May 31, 1972

Summary of Skeletal Findings (Hamsters)

	•		•		2			
Findings	Group No. Dose (mg/kg)	51 Sham	52 Aspirin**	57 0.3	58 1.5	59 7.0	60 32.0	
Live Fetus	ses Examined (at term)	166/21	183/22	166/22	193/23	170/21	160/21	
Sternebrae Incomp Scramb	lete oss.	106/21	124/22	111/22	125/23	98/21	103/21	
Bipart		56/17	91/21	55/20	84/23	68/]9	56/20	
Fused Extra Missin Other	g	8/6 27/14	1/1 84/16	1/1 55/21	4/3 46/18		3/2 49/19	
Ribs Incomp Fused/ Wavy	lete oss. split		1/1		1/1	2/1		•
Less t More t Other		17/9	33/15	21/14	32/14	38/15	28/12	
Vertebrae	lete oss.		3/2 4/2		·			٠
Extra Scolio	ctrs. oss. sis defects	1/1 1/1	2/1 7/4	1/1	20/8	8/5	9/6	
Missin		1/1	5/2			1/1	3/3	
	stosis Exencysholy				1/1			
Extremiti Incomp Missir Extra	olete oss.	3/1	26/10					
	neous reduced missing	1/1	7/4 11/4		2/1	1/1		

^{*} Numerator=Number of fetuses affected; Denominator=Number of litters affected: ** Positive control at 250 mg/kg

					•	
Groups	51	&	52;	57	through	60

Date May 31, 1972

Material FDA 71-10

Laboratory No. 0730m

Table 3-a

Summary of Soft Tissue Abnormalities (Hamsters)

Group	Material	Dose level mg/kg	Dam	Number of Pups	Description
59	FDA 71-10	7.0	м 0075	2	Cranial subcutaneous hematoma

Groups 51 & 52, 57 through 60

Species Hamsters

Table 4

Average Body Weights

Date May 31, 1972

Laboratory No. 0730 m

Group	Material	Dose Level	0	6	Day 8	10	14**
		mg/kg ·			g		
51	Sham	0	97.3	101.4	105.8	115.2	138.5 (21)
•	:	•	•	•			•
52	Aspirin***	25.0	97.7	102.9	104.3	114.7	137.3 (22)
	•		22 5	101.1	103.6	113.4	135.9 (22)
57	FDA 71-10	0.3	92.5	101. 1	103.0	113.1	
58	FDA 71-10	1.5	96.1	99.8	103.6	113.5	133.1 (23)
						• •	£*
59	FDA 71-10	7.0	95.5	100.1	102.9	113.5	136.1 (21)
		•					
60	FDA 71-10	32.0	99.8	105.2	106.9	115.7	138.7 (21)

^{*} Of pregnant dams

^{**} Number of surviving dams in parentheses (c.f. Table 1)

^{***} Positive control:



Appendix I

Teratology Study in Hamsters

Virgin adult female golden hamsters from an outbred strain were individually housed in mesh bottom cages in temperature and humidity controlled quarters with free access to food and fresh tap water at all times. They were mated (1 to 1) with mature males and the appearance of motile sperm in the vaginal smear was considered as Day 0 of gestation. Beginning on Day 6 and continuing daily through Day 10 of gestation, the indicated dose levels of the test material were administered by oral intubation; the controls were sham-treated.

Body weights were recorded on Days 0, 8, 10, and 14 of the gestation • period. All animals were observed daily for appearance and behavior with particular attention to food consumption in order to better recognize any abnormalities resulting from anorexic effects in the pregnant animal.

On Day 14, all animals were subjected to Caesarian section under deep anesthesia and the numbers of implantation sites, resorption sites, live and dead fetuses were recorded. All live pups were weighed and the genital tract of each dam was examined for any anatomical abnormalities.

All fetuses were examined grossly for the presence of external congenital defects and one-third of each litter underwent detailed visceral examination under 10X magnification. The remaining two-thirds of the pups were cleared in potassium hydroxide, stained with alizarin red dye, and examined for the presence of sketal abnormalities.

Appendix II Date May 31, 1972 Group 51 Material Sham Reproduction Data in Hamsters (Individual) Laboratory No. 0730 Dose ____ Fate* Remarks Implant Fetuses Resorption . Average Fetus Dam No. Sites Weight (g) Sites Alive Dead S 0151 1.59 S 0152 P 12 12 1.93 S 0153 14 14 1.67 14 1.81 S 0154 12 1 S 0155 12 12 2.00 P 11 10 1.89 S 0156 P 11 11 1.90 S 0157 S 0158 P 13 13 1.73 S 0159 10 10 P 2.23 0160 NP 0161 13 12 1.48 P S 0162 NP 1.93 14 13 S 0163 \mathbf{p} S 0164 14 11 P 2.04 0165 10 10 1.73 0166 P 15 15 1.83 0167 11 10 1.89 S 0168 11 P 1.87 S 0169 NP 1.90 S 0170 11 11 11 11 S 0171 2.04 S 0172 13 12 1.87 S 0173 12 . 12 1.80 S 0174 14 14 2.07

^{*} P = Pregnant; NP = Not Pregnant

Date May 31, 1972 · Appendix II 52 Group Laboratory No. 0730 Reproduction Data in Hamsters (Individual) Material Aspirin 250 mg/kg Dose Remarks Fate* Resorption Average Fetus Implant Fetuses Dam No. Weight (g) Sites Sites Dead Alive 1.71 15 15 A 0151 1.79 10 10 P A 0152 2.03 14 13 A 0153 .1.90 14 15 A 0154 1.79 15 15 A 0155 A 0156 1.71 14 14 A 0157 1.85 10 11 A 0158 1.69 12 12 A 0159 1.71 12 12 A 0160 0.90 10 10 A 0161 1.73 13 13 A 0162 1.87 12 14 A 0163 1.55 12 12 A 0164 1.85 10 12 A 0165 1.82 11 11 A 0166 1.54 15 14 A 0167 1.80 -11 11 A 0168 1.92 11 11 A 0169 1.80 . 10 11 A 0170 1.67 10 10 A 0171 1.90 10 10 A 0172 1.81

A 0173

13.

13 .

^{*} P = Pregnant; NP = Not Pregnant

Group 57 Appendix II Date May 31, 1972

Material FDA 71-10 Reproduction Data in Hamsters (Individual) Laboratory No. 0730 m

Dose 0.3 mg/kg

Dam No.	Fate*	Implant	Fetu	ıses	Resorption	Average Fetus	Remarks
Dam No.	1450	Sites	Alive	Dead	Sites	Weight (g)	
				•			
					•	1 01	
M 0001	P	12	12			1.84	•
м 0002	P	13	13		•	1.58	
м 0003	P	11	11			1.66	
м 0004	P	13	12		1	1.80	
м 0005	P	11	9		2	1.84	
м 0006	P	12	11		1	1.94	•
M 0007	P	10	9		1	1.84	
м 0008	P	8	8			1.74	•
м 0009	P.	12	10	1	1	1.87	•
M 0010	P	12	12			1.67	
	p	13	13			1.84	
M 0011	P	13	11	2		1.71	
M 0012	P P	12	12	·		1.63	
M 0013	P. P	9	12 9			1.73	
M 0014		10	9		1	1.87	
M 0015	P	12	12		. -	1.91	
M 0016	P	13	13			1.79	
M 0017	P		13			2.02	
M 0018	P	13	8		2	1.77	
м 0019	. P	10			i	2.06	
м 0020	P	1.3	12		<u> </u>	1.73	
M 0021	P	13	12	•	<u></u>	1.83	
M 0022	P	12	12		• •	1.00	

^{*} P = Pregnant; NP = Not Pregnant

Group 58 Appendix II Date May 31, 1972

Material FDA 71-10 Reproduction Data in Hamsters (Individual) Laboratory No. 0730 m

Dose 1.5 mg/kg

 Dam No.	Fate*	Implant	Fet	uses	Resorption	Average Fetus	Remarks
	•	Sites	Alive	Dead	Sites	Weight (g)	
M 0031 M 0032	NP P	13	12		1	1.97	
M 0032 M 0033 M 0034	P P	14	14 10	1	•	1.92 1.88	
M 0035 M 0036	P P	10 12	10 10	1	1 .	2.10 1.74	
м 0037 м 0038	P P	14 16	12 16	1	1	1.92 1.92	
M 0039 M 0040	P P	14 11	13 10		1 1	1.61 1.59	
M 0041 M 0042	P P	14 14	14 14			1.71	
M 0043 M 0044	P P ·	12 10	12 10		•	2.22 1.94 1.72	
M 0045 M 0046	P P	12 13	11 13		2	1.90	
M 0047 M 0048	P P	13 11	11 11	•	4	1.83 1.49	
м 0049 м 0050	P P	10 11	10 10 12		1	1.86 1.87	
M 0051 M 0052 M 0053 M 0054	P P P P	12 15 16 14	13 16 14	·	2	1.40 1.70 1.83	

^{*} P = Pregnant; NP = Not Pregnant

Date May 31, 1972 Appendix II 59 Group Laboratory No. 0730 m Reproduction Data in Hamsters (Individual) FDA 71-10 Material 7.0 mg/kgDose Remarks Fate* Average Fetus Resorption **Fetuses** Implant Dam No. Weight (g) Sites Sites Dead Alive 1.81 15 15 M 0061 P 1.83 14 14 P M 0062 2.00 11 11 P M 0063 2.04 9 10 M 0064 1.77 13 13 M 0065 NP M 0066 1.90 12 13 P M 0067 1.95 14 14 P M 0068 1.79 12 12 P M 0069 1.81 12 12 P M 0070 1.76 9 10 M 0071 1.89 11 12 P M 0072 1.93 9 10 M 0073 1.71 13 13 P M 0074 1.75 10 M 0075 1.80 13 13 M 0076. P 1.95 11 11 . M 0077 1.86 8 11 M 0078 P 1.99 14 14 M 0079 ₽ M 0080 NP 1.92 12 12 M 0081 1.82 13 13 M 0082 P 1.75 11 1 12 . M 0083

^{*} P = Pregnant; NP = Not Pregnant

60 Appendix II Group FDA 71-10

May 31, 1972 Date _

Reproduction Data in Hamsters (Individual) Material

Laboratory No. 0730 m

32.0 mg/kg Dose

Dam No.	Fate*	Implant	Feti	ıses	Resorption	Average Fetus	Remarks
		Sites	Alive	Dead	Sites	Weight (g)	
				•			
м 0091	P	14	13	• .	. 1	1.89	
M 0092	P	12	12			1.93	
м 0093 .	NP						Died Day 9.
M 0094	P	12	12			1.81	
M 0095	P	11	11			1.74	•
м 0096	P	13	13		•	1.82	· ·
M 0097	ΝP				•		
м 0098	P	11	10		1	2.03	
M 0099	NP .				,		
M 0100	P	13	13			2.04	
M 0101	P	. 11	11			1.78	•
M 0102	P	10	. 6		4	1.37	
M 0103	P P	. 12	10	•	2	2.04	•
M 0104	P	10	10		•	1.87	
M 0105	P .	11	7	•	4 .	1.83	·
M 0106	NP						
M 0107	P	10	9		1	2.02	
M 0108	P	15	14		l	1.84	
M 0109	. P	12	11		1	1.73	
M 0110	P	14	13		1	1.85	
M 0111	NP				•	-	
M 0112	P	11	11			1.60	
M 0113	P	12	12			1.88	
M 0114	P	10	10			1.85	
M 0115	P .	15	13		2	1.67	•
M 0116	P	. 11	11		,	1.77	

Food and Drug Esearch Laboratories

INCORP



Maurice Avenue at 58th Street Maspeth, New York 11378 Telephone: TWining 4-0800 Cable: Foodlabs, New York

FINAL REPORT

Submitted to:

DHEW/Public Health Service

Food and Drug Administration CA-272

5600 Fishers Lane-Room 5C-13 Rockville, Maryland 20852

July 3, 1972 Date

Laboratory No. 0731 m Contract No. FDA 71-260

Sample:

Light yellow crystalline material

Marking:

FDA 71-10 (Potassium nitrite)

Teratologic evaluation of FDA 71-10 in rabbits Examination Requested:

Procedure:

(See Appendix I)

See Tables 1 through 4 and Appendix II

Subject to reexamination in the light of later findings, the Conclusion: following is concluded:

"The administration of up to 23 mg/kg (body weight) of the test material to pregnant rabbits for 13 consecutive days had no clearly discernible effect on nidation or on maternal or fetal survival. The number of abnormalities seen in either soft or skeletal tissues of the test groups did not differ from the number occurring spontaneously in the sham-treated controls."

Attention is called to the fact that this is the sixth of a Comment: series of reports which will be issued in accordance with terms of the contract cited above. Eventually, a total of at least 36 compounds will have been tested in 18 pairs; each pair being run concurrently against one sham-treated control and one positive control group. Because of the inherent variability of biological data of the type dealt with here, the accumulation and pooling of sequential sets of control values will greatly enhance the statistical value of the findings and the ultimate reliability of the test results.

FOOD AND DRUG RESEARCH LABORATORIES, INC.

organe

This report is submitted for the exclusive use of the person, partnership, or corporation to whom it is addressed, and neither the report nor the name of these Laboratories nor of any members of its staff, may be used in connection with the advertising or sale of any product or process without written authorization.

Groups: 51 & 52; 57 through 60

Material: FDA 71-10

Table 1

Fate Summary (Rabbits)

Date May 31, 1972

Laboratory No. 0731 m

	•		Door	Tot	· a1		At	Term	
(Group	Material	Dose mg/kg	Mated	Pregnant		Surviving (Total) Numbe	r Pregnant
	51	Sham	0	15	10		6		4
	52	6-AN*	1.5	15	12		15		12
	57	FDA 71-10	0.2	15	13	•	9		6
	58	FDA 71-10	1.1	15	13		8		7
•	59	FDA 71-10	5.0	15	10		. 8		6
•	60	FDA 71-10	23.0	15	11		11		7

^{*} Positive Control: 6 amino nicotinamide dosed on Day 9

Group: 51 & 52; 57 through 60

Date May 31, 1972

Material: FDA 71-10

Table 2 Reproduction Data

Laboratory No. 0731 m

Material: FDA /1-10	Rep	roduction Da	ita	Laboratory No. 0731 m				
	(Rabbits)					
Group: Dose (mg/kg):	51 Sham	52 6-AN**	57 0.2	58 1.1	59 5.0	60 23.0		
Pregnancies Total No. Died or aborted (before Day 29) To term (on Day 29)	10 9 4	12 0 12	13 7 6	13 7 7	10 7 6	11 4 7		
Corpora lutea Total No. Average/dam mated	186 12.4	146 9 .7 3	187 12.5	196 13.1	152 10.1	178 11.9		
Live litters Total No.*	4	8	5	7	6	5		
<pre>Implant sites Total No. (at term) Average/dam*</pre>	29 7.25	58 4.83	39 6.50	40 5.72	38 6.33	22 3.14		
Resorptions Total No.* Dams with 1 or more sites resorbed Dams with all sites resorbed Per cent partial resorptions Per cent complete resorptions	0	15 8 4 66.7 33.3	14 5 1 83.3 16.7	1 1 0 14.3	0 	5 3 2 42.9 28.6		
Live fetuses Total No. (at term) Average/dam*	29 7.25	38 3.17	25 4.17	39 5.57	38 6.33	17 2.43		
Dead fetuses Total No.* Dams with 1 or more dead Dams with all dead Per cent partial dead per cent all dead	0	5 1 1 8.33 8.33	0 	0 	0 	0 		
Average fetus weight, g	37.5	30.8	39.7	36.2	36.8	34.8		

^{*} Includes only those dams examined at term.

^{**} Positive control: 2.5 mg/kg 6-amino nicotinamide dosed on Day 9.

Groups 51 & 52; 57 through 60

Laboratory No. 0731 m

Material FDA 71-10

Table 3

Date May 31, 1972

Summary of Skeletal Findings (Rabbits)

		•		,				•
	Group No.	51	52	57	58	59	60	
Findi	Dose (mg/kg) Sham	6-AN**	0.2	1.1	5.0	23.0	
•	Fetuses Examined (at term)	29/4	38/8	25/5	39/7	38/6	17/5	
Ir	nebrae ncomplete oss. crambled		15/6 1/1	2/.2	1/1		1/1	
Fu Ez Mi	ipartite used ktra issing ther	1/1	4/2 6/4 2/2		3/1 1/1		2/2 3/2	
Fu Wa Le Mo	ncomplete oss. used/split avy ess than 12 ore than 13 ther		29/8		1/1		1/1	
II Se	ebrae ncomplete oss. crambled used		. 9/3		·			
E: Se T	xtra ctrs. oss. coliosis ail defects ther		30/7		•			
M C	l ncomplete closure issing raniostosis ther						•	
I	emities ncomplete oss.	·	2/1					
. M E	issing xtra; Feet, elong	ated .	1/1					

Miscellaneous

^{*} Numerator=Number of fetuses affected; Denominator=Number of litters affected ** Positive control: 2.5 mg/kg dosed on Day 9

Groups	51	&	52;	57	through	60
OL CUPS	-	•	,			_

Date May 31, 1972

Material FDA 71-10

Laboratory No. 0731m

Table 3-a
Summary of Soft Tissue Abnormalities
(Rabbits)

Group	Material	Dose level mg/kg	Dam	Number of Pups	Description
				•	
52	6-AN*	1.5	z 1081	6 . 2	Anopia Club feet
••••			z 1082	6 6 6	Anopia Club feet Cleft palate, hair lip
			z 1084	5 2	Anopia Club feet
		•	z 1085	2 2 2 2	Cleft palate, hair lip Anopia Craniostenosis Club feet
			z 1086	. 4 .	Anopia Club feet
•		•	z 1088	4	Anopia Club feet
•	•		z 1089	6 6	Anopia Club feet

^{* 6} amino nicotinamide (positive control) dosed on Day 9

51 & 52; 57 through 60 Groups

Species Rabbits

Table 4

Average Body Weights*

Date May 31, 1972 Laboratory No. 0731 m

			is sur-				•	
	Group	Material	Dose Level	0	6	12	18	29**
		·	mg/kg			k g		
	51	Sham	0 .	2.48	2.49	2.54	2.55	2.36 (4)
	52	6-AN***	1.5	2.28	2.34	2.33	2.36	2.49 (12) ^a
	57	FDA 71-9	0.2	2.34	2.37	2.40	2.41	2,48 (6)
	58	FDA 71-9	1.1	2.40	2.40	2.31	2.39	2.45 (7) ^a
	59	FDA 71-9	5.0	2.19	2.21	2.21	2.27	2.39 (6)
	60	FDA 71-9	23.0	2.25	2.28	2.24	2.36	2.49 (7) ^a

Of pregnant dams

Number of surviving dams in parentheses (c.f. Table 1)

Positive control: 6-amino nicotinamide dosed on Day 9

Terminal weight of Z 1090, M 1023, and M 1051 respectively not included in average (c.f. Appendix



Appendix I Teratology Study in Rabbits

Virgin, adult, Dutch-belted female rabbits were individually housed in mesh bottom cages in temperature and humidity-controlled quarters with free access to food and fresh tap water. On Day 0, each doe was given an injection of 0.4 ml of human chorionic gonadotropin (400 IU) via the marginal ear vein. Three hours later, each doe was inseminated artificially with 0.3 ml of diluted semen from a proven donor buck using approximately 20 x 10 motile sperm according to the procedure described by Vogin et al (Pharmacologist 11, 282 (1969)). Beginning on Day 6 and continuing daily through Day 18 the females were dosed with the indicated dosages by oral intubation; the controls were sham treated.

Body weights were recorded on Days 0,6,12,18, and 29 of gestation. All animals were observed daily for appearance and behavior, with particular attention to food consumption and body weight in order to rule out any abnormalities which may have occurred as a result of anorexic effects in the pregnant female animal.

On Day 29 all does were subjected to Caesarean section under surgical anesthesia, and the numbers of corpora lutea, implantation sites, resorption sites and live and dead fetuses were recorded. Body weights of the live pups were also recorded. The urogenital tract of each animal was examined in detail for normality. In addition all fetuses underwent a detailed gross examination for the presence of external congenital abnormalities. The live fetuses of



each litter were then placed in an incubator for 24 hours for the evaluation of neonatal survival. All surviving pups were sacrificed, and all pups examined for visceral abnormalities (by dissection).

All fetuses were then cleared in potassium hydroxide (KOH), stained with alizarin red S dye and examined for skeletal defects.

Group 51

Appendix II

Date May 31, 1972

Material Sham

Reproduction Data in Rabbits (Individual)

Laboratory No. 0731

Dose 0

	Dam No.	Fate*	Corpora Lutea	Implant Sites		uses Dead	Resorption Sites	Average Fetus Weight (g)	Remarks
_							:		
	S 1076	NP	1	0			•		Disa Dass 20
	S 1077	NP	13	0				· ·	Died Day 20
	S 1078	P	12	. 2	2			50.2	
	S 1079	P	17	- 5	5				Died Day 18
	S 1080	P	. 16	7	. 7		•	32.2	<u>.</u>
	S 1081	· P	16	4	4	•		·	Died Day 24
	S 1001 S 1082	NP	4 .	Ō					- ·
		P	25	11	11		•	27.7	
	S 1083				7				Died Day 23
	S 1084	. P	4	, , , , , , , , , , , , , , , , , , ,	9			40.0	
	S 1085	P	16	9	9			40.0	Died Day 12
	S 1086	NP	10	0				•	
	S 1087	NP	5	0	_			•	Died Day 10
	S 1088	P	8	2	2		•		Died Day 11
	s 1089	P	18	7	. 7				Died Day 11
	S 1090 .	P	21	12	12	•		•	Died Day 15

Appendix II

Date May 31, 1972

Material 6-AN

Group 52

Reproduction Data in Rabbits (Individual)

Laboratory No. 0731

Dose 1.5 mg/kg

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fett Alive	lses Dead	Resorption Sites	Average Fetus Weight (g)	Remarks
Z 1076 Z 1077 Z 1078 Z 1079 Z 1080 Z 1081 Z 1082 Z 1083 Z 1084 Z 1085 Z 1086 Z 1087 Z 1088 Z 1088	P NP P P P P P P P	6 4 8 5 9 13 12 4 14 10 12 3 20 17	2 0 5 0 1 7 6 1 10 5 6 0 7 6	4 7 6 5 2 4 4 6	5	2 1 1 3 2 3	30.1 33.2 29.2 36.9 27.5 26.1 35.7 27.4	
z 1039 z 1090	. P	9	2		•	2		

Group 57 Appendix II

. . .

Date May 31, 1972

Material FDA 71-10

Reproduction Data in Rabbits (Individual)

Laboratory No. 0731m

Dose 0.2 mg/kg

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fet: Alive	uses Dead	Resorption Sites	Average Fetus Weight (g)	Remarks	
	_	0.1	7.4			•	46.1		
M 1001	P	21	14 .	6		0			
M 1002	P	13	8	7	_	Τ.	36.7		
M 1003	P	8	3		3			Died Day 29	
M 1004	P	21	8	8				Died Day 18	
M 1005	P	19	2	. 2			48.0		
M 1006	P	12	6	6				Died Day 11	
M 1007	P	16	6	6				Died Day 11	
	F	10	6	6			28.0		
м 1008	P	8	0	O		•	20.0		
м 1009	P	5	2			2			
M 1010	NP	4	. 0			•			
M 1011	P·	14	8	8			***	Died Day 9	
M 1012	P	13	6	6			-	Died Day 11	
M 1013	P	12	7	4		3		_	
M 1013	P	13	10	10	•	• .		Died Day 11	
	_			10					
M 1015	NP	8	0		•	•			

Group 58

Appendix II

Date May 31, 1972

Material FDA 71-10

Reproduction Data in Rabbits (Individual)

Laboratory No. 0731m

Dose 1.1 mg/kg

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fetuse Alive	es Dead	Resorption Sites	Average Fetus Weight (g)	Remarks	
	<u> </u>		-	_				Died Day 16	
M 1016	P	18	7	. 7			-	Died Day 16	
M 1017	P	14	1	.1				Died Day 16	
M 1018	NP	14	0					Died Day 16	•
M 1019	· P	12	2	2			37.3		
M 1020	P	. 5	1	1				Died Day 13	
M 1021	p P	7	2	2				Died Day 9	
M 1022	P	11	5	4		1	40.6	-	
M 1023	P	16	8	8		—,	35.0		
M 1024	P	. 15	5	5				Died Day 12	
M 1024 M 1025	NP	15	0	J				-	
		22	1	Λ			37.8	•	
M 1026	P		4	7			31.0		
M 1027	P	11	1	<u>/</u>				•	ν
M 1028	P	17	7	7			35.1		
M 1029	P	12	7	7			36.9	• • •	•
М 1030	, P	7	2	2				Died Day 6	

Group 59

Appendix II

Date May 31, 1972

Material FDA 71-10

Reproduction Data in Rabbits (Individual)

Laboratory No. 0731m

Dose 5.0 mg/kg

	Dam No.	Fate*	Corpora Lutea	Implant Sites	Fetu Alive	uses Dead	Resorption Sites	Average Fetus Weight (g)	Remarks
		····							
	M 1031	NP	1	0					Died Day 8 - Accident
	M 1032	P	9	1	1			45.5	
	м 1033	NP	3	0					· · · · · · · · · · · · · · · · · · ·
	M 1034	P	13	6	6				Died Day 17
	M 1035	NP	5	0	•				
	M 1036	P	12	8	8		•	32.2	
	M 1037	P	27	6	6			38.4	·
	M 1038	P	16	8	8			32.4	
	M 1039	NP	3	0					Died Day 12
	M 1040	NP	2	0			•		Died Day 10
•	M 1041	P	19	- 9	9			36.4	
	M 1042	P	7	3	3				Died Day 18
	M 1043	P	14	6 .	6			36.0	
	M 1044	P	12	4	4	•	·	-	Died Day 15
	M·1045	P	. 9	7	7	•			Died Day 11
							•	•	

7

FOOD AND DRUG RESEARCH LABORATORIES, INC.

Group 60

Appendix II

Date May 31, 1972

Material FDA 71-10

Reproduction Data in Rabbits (Individual)

Laboratory No. 0731m

Dose 23.0 mg/kg

Dam No.	Fate*	Corpora Lutea	Implant Sites	Fetuse Alive I	Resorption Sites	Average Fetus Weight (g)	Remarks
M 1046	NP	9	0 .	•	2	45.9	
M 1047	P	12	3	Ţ	.	43.3	Died Day 16
· м 1048	P	11	5	5			Dred Day to
M 1049	NP	6	0	• •			
м 1050	P	9	. 2	4 · •	2		•
M 1051	P ·	5	1	•	1		-1.7.
M 1052	P	11	3	3			Died Day 12
M 1053	P	14	3	3			Died Day 18
M 1054	NP	3	0		•		•
M 1055	P	19	5	5		44.2	•
M 1056	NP	8.	0	•		·	
	P	22	2	2		39.2	
M 1057		12	3	3		43.6	
M 1058	P		6	6	•	35.9	•
м 1059	P	16	• •	. 1			Died Day 9
M 1060	Ρ.	21	1	.	• •		-